

Safety Data Sheet

Sericron® Talc 2M 3M 4M 5M 6M W2M 7M

Version 1.5

Revision Date: 11/10/2025

SECTION 1. IDENTIFICATION

Product name : Sericron® Talc 2M 3M 4M 5M 6M W2M 7M

Synonyms : No data available

Recommended use of the chemical and restrictions on use

Recommended use : Mineral Additive

Restricted Uses : None known.

Supplier or Repackaging Details

Company Address : Univar Solutions Canada Ltd.
64 Arrow Road
North York, ON, M9M 2L9
Canada

Manufactured By : Barretts Minerals Inc.

Emergency telephone number:

Local Emergency Contact : During Office hours Monday-Friday, 8.00 am - 4.30 pm (Pacific Standard Time) : 1-866-686-4827

Additional Information: : Responsible Party: Product Compliance Department
E-mail: SDSNA@univarsolutions.com
SDS Requests: 1-855-429-2661
Website: www.univarsolutions.com

SECTION 2. HAZARD IDENTIFICATION

Hazardous Classification of the substance or mixture

Carcinogenicity : Category 1A

Specific target organ toxicity - single exposure : Category 1

Label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H350 May cause cancer.
H370 Causes damage to organs.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/

Safety Data Sheet

Sericron® Talc 2M 3M 4M 5M 6M W2M 7M

Version 1.5

Revision Date: 11/10/2025

face protection/ hearing protection.

Response:

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	% by Weight	Synonyms
14807-96-6	Talc (Mg ₃ H ₂ (SiO ₃) ₄)	80 - 100	Talc (Mg ₃ H ₂ (SiO ₃) ₄)
1318-59-8	Chlorite-group minerals	30 - 60	Chlorite-group minerals
16389-88-1	Dolomite (CaMg(CO ₃) ₂)	10 - 30	Dolomite (CaMg(CO ₃) ₂)
1317-65-3	Limestone	5 - 10	Limestone
14808-60-7	Quartz (SiO ₂)	1 - 5	Quartz (SiO ₂)

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST-AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and : May cause cancer.
Causes damage to organs.

Safety Data Sheet

Sericron® Talc 2M 3M 4M 5M 6M W2M 7M

Version 1.5

Revision Date: 11/10/2025

delayed

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---|---|
| Suitable extinguishing media | : Carbon dioxide (CO2)
Foam
Dry powder
Water mist |
| Unsuitable extinguishing media | : High volume water jet |
| Hazardous combustion products | : No hazardous combustion products are known |
| Further information | : Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | |
|---|--|
| Advice on protection against fire and explosion | : Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed. |
| Advice on safe handling | : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations. |
| Conditions for safe storage | : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards. |

Safety Data Sheet

Sericron® Talc 2M 3M 4M 5M 6M W2M 7M

Version 1.5

Revision Date: 11/10/2025

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
14807-96-6	Talc ($\text{Mg}_3\text{H}_2(\text{SiO}_3)_4$)	TWAEV (fibres)	1 fibres per cubic centimeter	CA QC OEL
		TWAEV (respirable dust)	2 mg/m ³	CA QC OEL
		TWA	0.1 fibres per cubic centimeter	CA BC OEL
		TWA (Respirable particulates)	2 mg/m ³	CA AB OEL
		TWA (Respirable)	2 mg/m ³	CA BC OEL
		TWA	2 fibres per cubic centimeter	CA ON OEL
		TWA (Respirable fraction)	2 mg/m ³	CA ON OEL
1318-59-8	Chlorite-group minerals	TWAEV (respirable dust)	5 mg/m ³	CA QC OEL
1317-65-3	Limestone	TWA	10 mg/m ³	CA AB OEL
		TWAEV (total dust)	10 mg/m ³	CA QC OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m ³	CA BC OEL
		STEL	20 mg/m ³	CA BC OEL
14808-60-7	Quartz (SiO_2)	TWA (Respirable particulates)	0.025 mg/m ³	CA AB OEL
		TWA (Respirable fraction)	0.1 mg/m ³	CA ON OEL
		TWAEV (respirable dust)	0.1 mg/m ³	CA QC OEL
		TWA (Respirable)	0.025 mg/m ³ (Silica)	CA BC OEL

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
Dust safety masks are recommended when the dust concentration is more than 10 mg/m³.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Safety Data Sheet

Sericron® Talc 2M 3M 4M 5M 6M W2M 7M

Version 1.5

Revision Date: 11/10/2025

Skin and body protection	:	Tightly fitting safety goggles
		Wear face-shield and protective suit for abnormal processing problems.
Hygiene measures	:	Dust impervious protective suit
		Choose body protection according to the amount and concentration of the dangerous substance at the work place.
		When using do not eat or drink.
		When using do not smoke.
		Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Powder
Colour	:	white
Odour	:	none
Odour Threshold	:	No data available
pH	:	No data available
Freezing Point	:	No data available
Boiling Point	:	No data available
Flash point	:	Not Flammable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	2.8 @ 20 - 25 °C (68 - 77 °F)
		Reference substance: (water = 1)
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	insoluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Thermal decomposition	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	No hazards to be specially mentioned.

Safety Data Sheet**Sericron® Talc 2M 3M 4M 5M 6M W2M 7M**

Version 1.5

Revision Date: 11/10/2025

tions

Conditions to avoid : Keep away from heat, flame, sparks and other ignition sources.

Dust formation

Incompatible materials : None known.

Hazardous decomposition products : None known.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Not classified due to lack of data.

Components:**16389-88-1:**

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

1317-65-3:

Acute oral toxicity : Remarks: presumed non-toxic

Acute inhalation toxicity : Remarks: presumed non-toxic

Acute dermal toxicity : Remarks: presumed non-toxic

Skin corrosion/irritation

Not classified due to lack of data.

Components:**16389-88-1:**

Remarks: No data available

1317-65-3:

Remarks: No data available

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Components:**16389-88-1:**

Result: Irritating to eyes.

Remarks: No data available

1317-65-3:

Remarks: No data available

Safety Data Sheet

Sericron® Talc 2M 3M 4M 5M 6M W2M 7M

Version 1.5

Revision Date: 11/10/2025

Respiratory or skin sensitisation

Skin sensitisation: Not classified due to lack of data.

Respiratory sensitisation: Not classified due to lack of data.

Components:

1317-65-3:

Remarks: No data available

Germ cell mutagenicity

Not classified due to lack of data.

Components:

16389-88-1:

Germ cell mutagenicity - Assessment : Mutagenicity classification not possible from current data

1317-65-3:

Germ cell mutagenicity - Assessment : mutagenicity classification is not possible

14808-60-7:

Germ cell mutagenicity - Assessment : Mutagenicity classification not possible from current data

Carcinogenicity

May cause cancer.

Components:

16389-88-1:

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

1317-65-3:

Carcinogenicity - Assessment : carcinogenicity classification is not possible

14808-60-7:

Species: Rat

Application Route: Inhalation

Exposure time: 2 yr

Activity duration: 6 h

Dose: 1 mg/m³

Frequency of Treatment: 5 days/week

Result: evidence of carcinogenic activity

Symptoms: Tumors

Carcinogenicity - Assessment : Human carcinogen.

ACGIH

Confirmed human carcinogen

14807-96-6

Talc (Mg₃H₂(SiO₃)₄)

Suspected human carcinogen

14808-60-7

Quartz (SiO₂)

Reproductive toxicity

Not classified due to lack of data.

Safety Data Sheet**Sericron® Talc 2M 3M 4M 5M 6M W2M 7M**

Version 1.5

Revision Date: 11/10/2025

Components:**16389-88-1:**

Reproductive toxicity - Assessment : reproduction classification is not possible

Teratogenicity - Assessment : teratogenicity classification is not possible

1317-65-3:

Reproductive toxicity - Assessment : reproduction classification is not possible

Teratogenicity - Assessment : teratogenicity classification is not possible

14808-60-7:

Reproductive toxicity - Assessment : Fertility classification not possible from current data.

Teratogenicity - Assessment : Embryotoxicity classification not possible from current data.

STOT - single exposure

Causes damage to organs.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:**14808-60-7:**

Target Organs: Lungs

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Aspiration toxicity

Not classified due to lack of data.

Components:**1317-65-3:**

No aspiration toxicity classification

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

Safety Data Sheet**Sericron® Talc 2M 3M 4M 5M 6M W2M 7M**

Version 1.5

Revision Date: 11/10/2025

16389-88-1:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

1317-65-3:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Persistence and degradability**Components:****1317-65-3:**

Biodegradability : Remarks: No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Additional ecological information : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-637-7922Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**TDG (Transportation of Dangerous Goods):** Not regulated as a dangerous good

Safety Data Sheet

Sericron® Talc 2M 3M 4M 5M 6M W2M 7M

Version 1.5

Revision Date: 11/10/2025

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG-Code: Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

TSCA	: On the inventory, or in compliance with the inventory
DSL	: This product contains one or several components that are not on the Canadian DSL nor NDSL.
AICS	: not determined
ENCS	: not determined
KECI	: not determined
PICCS	: not determined
IECSC	: not determined
NZIoC	: not determined

SECTION 16. OTHER INFORMATION

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions EHS Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 11/10/2025

Material number:

16223389, 16158850, 16158223, 16158851, 16169601, 16175521

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIC	Australia Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level

Safety Data Sheet

Sericron® Talc 2M 3M 4M 5M 6M W2M 7M

Version 1.5

Revision Date: 11/10/2025

DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50			Lethal Concentration 50%